

# Anti-Human CD90 (Thy-1) PE

Catalog Number: 03011-60

RUO: For Research Use Only. Not for use in diagnostic procedures.

#### **Product Information**

Clone: 5E10

Format/Conjugate: PE

Concentration: 5 uL (0.25 ug)/test


Reactivity: Human

Laser: Blue (488nm), Yellow/Green (532-561nm)

**Peak Emission:** 578nm **Peak Excitation:** 496nm

**Filter:** 585/40

**Brightness (1=dim,5=brightest):** 5



Human HEL cells were stained with PE 5E10 with relevant isotype control in green.

Isotype: Mouse IgG1, kappa

Formulation: Phosphate-buffered aqueous solution, ≤0.09% Sodium azide, may contain carrier protein/stabilizer, ph7.2.

Storage: Product should be kept at 2-8°C and protected from prolonged exposure to light.

**Applications:** FC

### **Description**

The 5E10 monoclonal antibody specifically reacts with human CD90, also known as thymus cell antigen-1 (Thy-1). CD90 is a 25-37 kDA GPI-anchored protein is the smallest member of the Ig superfamily. CD90 is expressed on thymocytes, neurons, mesenchymal stem cells, hematopoietic stem cells, NK cells, and follicular dendritic cells and plays a role in inflammation, metastasis, apoptosis, and nerve regeneration. The 5E10 antibody can be used for the enriching high proliferative potential colony-forming cells (HIPP-CFC).

## **Preparation & Storage**

The product should be stored undiluted at 4°C and should be protected from prolonged exposure to light. Do not freeze. The monoclonal antibody was purified utilizing affinity chromatography and unreacted dye was removed from the product.

### **Application Notes**

The antibody has been analyzed for quality through the flow cytometric analysis of the relevant cell type. The antibody can be used at less than or equal to 5  $\mu L$  per test. A test is the amount of antibody required to stain a cell sample in the final volume of 100  $\mu L$ .

#### References

- 1. Craig, W., Kay, R., Cutler, R. L., Lansdorp, P. M. (1993). Expression of Thy-1 on human hematopoietic progenitor cells.; The Journal of experimental medicine,; 177(5), 1331-1342.
- 2. Trickett, A. E., Ford, D. J., Lam-Po-Tang, P. R., Vowels, M. R. (1991). Immunomagnetic bone marrow purging of common acute lymphoblastic leukemia cells: suitability of BioMag particles.;Bone marrow transplantation,7(3), 199-203.
- 3. Schlossman, S. F. (1995).;Leucocyte typing V: White cell differentiation antigens: Proceedings of the Fifth International Workshop and Conference, Held in Boston, USA 3-7 November, 1993. Oxford University Press.